राजस्थान सरकार

सेठ नेतराम मघराज टीबड़ेवाला राजकीय महिला महाविद्यालय, झुन्झुनू

कमांक: लेखा/राममझु/निविदा/2019/ दिनांक:–18.07.2019

खुली निविदा सूचना सं0–5/2019–20

राष्ट्रीय उच्चतर शिक्षा अभियान(RUSA) के अन्तर्गत इस महाविद्यालय द्वारा निम्नलिखित सामग्री का कय किया जाना है–

क्र. सं.	सामग्री/सेवा का विवरण	मात्रा	अनुमानित राशि	अमानत राशि(2%)	निविदा प्रपत्र मूल्य
1	महाविद्यालय विज्ञान प्रयोगशालाओं हेतु विविध उपकरणों का कय	101 नग	5.90 लाख	14000/–	200/–
2	महाविद्यालय ऑडिटोरियम/हॉल हेतु विविध उपकरणों का कय	21 नग	1.10 लाख		

इच्छुक अधिकृत निर्माता/ थोक विक्रेता/अन्य अधिकृत विक्रेता अपनी दरें मोहर बन्द लिफाफे में निर्धारित प्रपत्र में अपनी दरें प्रस्तुत कर सकते हैं। निविदा दाता रजिस्ट्रेशन, पैन नम्बर, जीएसटी टिन नम्बर आदि की छाया प्रतियां साथ में प्रस्तुत करें। निविदा प्रपत्रों का विकय 200/– रू नगद में निविदा प्रकाशन की दिनांक से दिनांक 01.08.2019 समय 12:00 बजे दोपहर तक किया जायेगा। निविदा जमा कराने की अन्तिम तिथि दिनांक 02.08.2019 दोपहर 2:00 बजे तक हैं। प्राप्त निविदायें दिनांक 2.08.2019 को ही सांय 3:00 बजे निविदा समिति एवं उपस्थित निविदा दाताओं के समक्ष खोली जायेगीं। निविदा प्रपत्र एवं शर्तें www.sppp.rajasthan.gov.in (लोक उपापन पोर्टल) एवं महाविद्यालय की साईट http://www.htc.rajasthan.gov.in/college/ggcjhunjhunu पर देखीं एवं डाउनलोड की जा सकती है। UBN No.-

प्राचार्य,
राजकीय महिला महाविद्यालय,
झुन्झुनू

कमांक: स्था/राममझु/2019/ दिनांक:–

प्रतिलिपि निम्न को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है–

1 महालेखाकार राजस्थान, जयपुर।
2 वित्तीय सलाहकार, आयुक्तालय कॉलेज शिक्षा राज0, जयपुर।
3 श्रीमान निदेशक, सूचना एवं जन सम्पर्क निदेशालय, राजस्थान, जयपुर को प्रेषित कर निवेदन है की इस निवेदा का प्रकाशन एक क्षेत्रिय दैनिक समाचार पत्र दैनिक भास्कर में व दो राज्य स्तरीय दैनिक समाचार पत्रों में जिनमें एक का प्रसारण 50 हजार प्रतियां अधिक हो के संस्करण में राजस्थान पत्रिका व दैनिक नवज्योति में न्यूनतम स्थान व डीपीआर दर पर तुरन्त करावें।
4 जिला कलेक्टर नोटिस बोर्ड।
5 कार्यालय हाजा नोटिस बोर्ड।
6 जिले के समस्त नगर परिषद/नगर पालिका/पंचायत समितियों के नोटिस बोर्ड पर चस्पा हेतु।
7 समस्त सदस्य उपापन समिति श्री .....
8 खंजाची को लोक उपापन पोर्टल पर अपलोड करने हेतु।

प्राचार्य,
राजकीय महिला महाविद्यालय,
झुन्झुनू

Scanned by CamScanner

(डॉ. अलका अग्रवाल)
प्राचार्या
राजकीय स्नातकोत्तर महिला महाविद्यालय

राजस्थान सरकार

सेठ नेतराम मघराज टीबडेवाला राजकीय महिला महाविद्यालय, झुन्झुनू

कमांकः लेखा/राममझु/निविदा/2019/ दिनांकः–

निविदा प्रपत्र

(विज्ञान प्रयोगशालाओं एवं ऑडिटोरियम/हॉल हेतु उपकरणों के क्रय की निविदा)

1 निविदा किसको सम्बोधित– प्राचार्य, सेनेमटी राजकीय महिला महाविद्यालय, झुन्झुनु।

2 निविदादाता फर्म का नाम व संचालाक का नाम .....

3 (अ) पत्र व्यवहार का पूर्ण पताः– .....

.....

दूरभाष नं0.....मोबाईल नं0.....

(ब) स्थाई पताः– .....

.....

4 संदर्भः– निविदा विज्ञप्ति कमांक .....दिनांक .....

5 पता जिस पर निविदा भेजनी है :– प्राचार्य, सेनेमटी, राजकीय महिला महाविद्यालय, झुन्झुनू, वगड़ रोड, नियर जमुना रिसोर्ट, झुन्झुनू।

6 निविदा शुल्क रू 200/– नकद रसीद सं0.....दिनांक.....निविदा विज्ञप्ति की शर्तानुसार जमा कराये गये। जमा करवाये जाने वाली अमानत राशि का विवरणः– बैंक ड्राफ्ट/बैंकर चैक कमांक .....दिनांक .....राशि.....।

7 प्राचार्य, सेनेमटी, राजकीय महिला महाविद्यालय, झुन्झुनू, द्वारा जारी की गई निविदा विज्ञप्ति कमांक .....दिनांक.....में वर्णित सभी शर्तों का अध्ययन कर लिया है तथा संलग्न शर्तो पर मैनें/हमनें हस्ताक्षर कर दिये है तथा मुझे/हमें सभी शर्ते मान्य है।

8 आयकर, जीएसटी टिन पंजियन प्रमाण–पत्र एवं कर चुकता प्रमाण–पत्र संलग्न है।

9 फर्म का नियमानुसार पंजियन/विनिर्माता/डिलर आदि का प्रमाण–पत्र संलग्न है।

10 सामग्री की सभी दरें कार्यालय प्राचार्य, सेनेमटी, राजकीय महिला महाविद्यालय, झुन्झुनू, के लिये एफ.ओ. आर. है जिसमे सभी तरह का अन्य खर्चा जैसे कर किराया चुंगी आदि शामिल है।

11 विज्ञान प्रयोगशालाओं एवं ऑडिटोरियम/हॉल हेतु उपकरणों की हमारी दरें निम्नानुसार हैः–

S. NO.	NAME OF EQUIPMENTS	QUANTITY	SPECIFICATION	दर प्रति नग अंको में	दर प्रति न शब्दों में
			FOR BOTANY LAB		
1	Chromatography Cabinet	01	6*8*9 Inches Capacity 150 MI		
2	Weighing Balances	01	5 Kg, least count -.5 gm platform size - 340*240mm		
3	Stainless Steel	01	Basket With perforated tray of 21 holes of		

Scanned by CamScanner

(डॉ. अलका अग्रवाल)
प्राचार्य
स्नातकोत्तर महिला महाविद्यालय
झुंझुनूं - 333

	tray Basket		50*50 mm each and 60 holes of 30*30 mm each , Exterior Dimensions 478w*460d*140h		
4	Test Sieves	04	With brass		
5	Herbarium Cabinet	01	Cabinet frame of 19 mm play board with melamine lamination. Drawers finished in sprit polish. Drawer size 45cm*37mm		
6	Herbarium Press	04	MDF planks, Nicely painted provided with tight type bolts and fly-nuts for putting sufficient pressure. Size=45cm*37cm*8cm		
7	Minimum/Maximum Dual Reading Thermometer	01	Package Dimensions 31.8*10.2*3.8, 113gm		
8	3 in I Pocket tester TDS, Temp. digital PH meter, TDS tester Temperature, Water Quality multi parameter 0.01	01	Measure total dissolved solids TDS and Temp. Automatic temperature Compensation(ATC) Water-resistant housing, Measurement Range 0-500 PPM Buffer Powder Solution Digital PH meter		
9	Dissection set	05	17 Instruments Stainless steel instruments 2 Scissor, 2 forceps, 3 Needless with blade 2 sc, 2 spatula, 1 BP handle with blade, 1 Razor, 1 Magnifying glass, 1 lens, 1 Chain and hook 1 cover slip, 1 Plain glass slide 1 Blow pipe		
10	combo digital venires caliper	01	0-150 mm + Manual Micrometer, 0-25 mm outside Micrometer Screw Gauge electronic Gauge Ruler Digital venires Caliper wrench precision Measuring Instrument Toll.		
11	Mortar and Pestle	01	Basics 3- inch mortar and pestles makes a ceramic white		
12	Quadrate	02	Meter*meter		
1	Secchi Disc	01	200 mm, for indicating Turbidity of water		

Scanned by CamScanner

(डॉ. अर्चिका अग्रवाल)
प्राचार्य
राजकीय स्नातकोत्तर महिला महाविद्यालय
झुंझुनूं - 033

3					
14	Kraft seeds khurpi	01	3 inch		
15	Lawn cutter Machine	01	12 inch side wheel Manual Lawn Mower Blade with 12 inches, 305 mm		
16	Gardening tool set (Scissor-Pruner-cutter)	01	Made with High quality stainless steel with plastic handle grip		
17	Pin Notice Board with lock and key	03	3 feet and 2 feet		
18	Brass cup/Dish for Water holding capacity Test	05	Dimension 1.D56*H 10 mm Hold size diameter 1.0 mm at 4 mm space chromium-plated brass weighted 36 gm		
19	Water Distillation apparatus	01	4-5 liter Capacity wall type		
20	Botanical Wall charts	10	✓ Taxonomy ✓ Anatomy ✓ Physiology ✓ Calotropis process ✓ Ricinus communis ✓ Brassica Junces ✓ Helianthass annuue ✓ Alage ✓ Fungi ✓ Pteridophyta		
21	Herbarium Sheet	2002 Packet 1 packet =1	Good grade, Acid Free, flexible, white watermarked ledger paper with much the same appearance and texture as our 100% rag. Herbarium Mounting paper. Size, 11.5 to 16.5 pack of 100		

Scanned by CamScanner

(डॉ. अलका अग्रवाल)
आचार्य
राजकीय स्नातकोत्तर महिला महाविद्यालय
झुंझुनूं - 333

		00	
			FOR ZOOLOGY LAB
1	B.O.D. Incubator Low Temperature	01	• Outer wall made of CRC sheet duly powder coated and inner wall and trays made of stainless stell, Triple walled back. Fitted with two air circulating fans. Gap between inner chamber and outer wall is filled with foamed in place PUF insulation. Fitted with door operated inner view lamp and transparent see thru inner door Temperature range from 5 degree centigrade to 60 degree centigrade is controlled through Microprocessor based Digital Temperature indicator cum controller with LED Display. To work on 220 volts AC Supply • Inner dimension(wxdxh) in mm: 455x410x610 • Cap.: 112 ltrs • Volume: 4 cufts • No. of shelves: 2
2	Portable Soil and Water Analyser Kit	01	Water and Soil Analysis Kit Micro Processor Based (7 parameter) PH., mv, (ORP) Conductivity, (E.C.) T.D.S. temperature, D.O., Salinity, Soft touch keys with 16*12 line alphanumeric displays, Mains cum battery operated with rechargeable cell, at least 8 hours working after single full recharge, fitted in brief case, useful for field and as well as laboratory use storage, 1000 samples with Date and Time, Error Indication.
3	BINOCULAR	01	• Diopter adjustment Range Over +/-

Scanned by CamScanner

(डॉ. अलका अग्रवाल)
प्राचार्य
राजकीय स्नोत्तकोत्तर महिला महाविद्यालय
सुजानगढ़ (राज.)

			21/m • Lens Configuration – 5 elements-3 Groups • Magnification- 10x • Objective Lens Diameter- 50 mm • Exit Pupil Diameter- 5 mm • Actual field of view- 6.5 degree • Apparent field of view- 65 degree • Field of View at 100 mm - 11.4 m • Relative Brightness- 25 • Eye Relief-12 mm • Closest focal Point- 6m • Type- Porro Prism Series • Eye Interval adjustment range-60-70 mm • Optical coating- Monolayer Coating		
4	3 in 1 Pocket tester TDS, Temp. digital PH meter, TDS tester Temperature, Water Quality multi parameter 0.01	01	• Measure total dissolved solids TDS and Temp.Automatic temperatureCompensation(ATC) Water-resistant housing,Measurement Range 0-500 PPM • Buffer Powder Solution Digital PH meter		
			FOR CHEMISTRY LAB		
1	Digital Colorimeter	2	• Display seven Segment LED display, Mode Selection PH mode, stand by mode, mV mode ,wavelength Range 400 nm, 420 nm,480 nm, 520 nm,540 nm,580nm, 620 nm, • Transmission N/A Absorbance: 0-1.99 Abs • Fliters Glass filters Band width 15-20 nm Repeatability: 0.01 Abs • Accuracy:- 0.01 to + 0.01 Abs Sample Holder : Cuvetter Round 9 mm Power: 230 v AC@ 50 HZ		

Scanned by CamScanner

(डॉ. अलका अग्रवाल)
प्राचार्य
राजकीय स्नोतकोत्तर महिला महाविद्यालय
झुंझुनूं - 033

2	Digital conductivity meter	1	• Display 3.5 digital LED • Measurement conductivity Ranges 0 to 200 micro sec./cm and 0 to 1000ms/cm Accuracy +1% FS±1 digit • Temperature compensation Auto 0 to 50 degree centigrade Manual 0 to 50 degree centigrade Measuring Cell-platinum DIP Type Resolution 0.1 µs/cm Power 230 v, 50 HZ Dimensions 76*275*175 mm Accessories:- conductivity Cell, Temperature probe, Operational Manual Dust Cover		
3	Stop Clock	10	• Standard Pattern Timer, Hand Precison Spring movement, reset Triggers		
4	Thurmus flask	20	• Plastic body, 500 ml capacity		
5	Digital Lab Oven	1	• Consumed Power 530W • Capacity- 20L • Gross weight -38 kg • Internal Size(W*D*H) mm=300*280*280 • Outer size (W*D*H)mm=586*440*445 • Packing Size (W*D*H) mm=665*585*535		
6	Centrifuge	1	• Dimension/size 15 ml Standard steel		

Scanned by CamScanner

(डॉ. अर्चिका अग्रवाल)
प्राचार्य
राजकीय स्नातकोत्तर महिला महाविद्यालय
झुंझुनूं - 33

	machine		Speed 3000 rpm Capacity 15 ml*8 tubes		
7	Vacum pump	1	• Capacity [Q] max 3000 m*m*m/h • Pressure rating PN10 • Temperature-20 degree centigrade to +100 degree centigrade • Discharge pressure:-(mbas/abs): max 2500		
8	Digital Balance	1	• Sensitivity 0.01 gm • Capacity 100 gm • AC adapler Metal Base, ABS top Housing, Steel pan Glass draft shield with sliding Top Door, Liquid crystal display with Back-light		
9	Microwave Oven	1	• Function : convection • Capacity: 20 ltr • Cavity stainless steel • Feather touch membrane • Power consumption 1200 w AC 230 V		
10	Water Distilltion Unit	1	• Capacity 2 l/hour Distillation at 240v/220v Horizontal type 50/60 Hz Single Phase Dimension (50 cm*15cm*45cm		
	FOR PHYSICS LAB				
1.	ZENER DIODE REGULATED POWER SUPPLIES	02	Power supply ±12V, 50 Ma Current, Digital Voltmeter 0-20 V, Digital Ammeter 0-200 mA, NPN Transistor, Three zener diodes, Adequate no. of other electronic components, Mains ON/OFF switch, Fuse and Jewel (LED) light, The unit is operative on 230 VAC ±10% at 50Hz, Good Quality		
2.	Transistor bias stability	1	Internally connected regulated power supply -12 V DC Power supply at 20 mA, Oscillator 1 KHz fix frequency with amplitude control, Digital voltmeter 0-20 V,		

Scanned by CamScanner

(डॉ. अलका अग्रवाल)
प्राचार्य
राजकीय महाविद्यालय
झुंझुनूं - 033

			Digital ammeter 0-20 mA and 20-200 µA, Oven to change the temperature, PNP/NPN transistor, Mains ON/OFF switch, Fuse and Jewel (LED) light, The unit is operative on 230 VAC ±10% at 50Hz, Good Quality		
3.	Logic gates set up	1	+5 V DC at 100 mA, IC regulated power supply, AND, OR, NOT gates, 3 p-n diodes, NPN/PNP transistor, 3 switch for binary signal, 2 LED, Mains ON/OFF switch, Fuse and Jewel (LED) light, The unit is operative on 230 VAC ±10% at 50Hz, Good Quality		
4.	L-C transmission Line	1	48 inductors and capacitors, Mains ON/OFF switch, Fuse and Jewel (LED) light, The unit is operative on 230 VAC ±10% at 50Hz, Good Quality		
5.	Diode and Zener diode characterstics	1	0-10 V at 10 mA cvariable power supply with low ripple, in built rheostate, Voltmeter 0-2 V and 0-20 V. ammeter 0-20 mA and 0-20µA, Germanium semiconductor pn junction diode and zener diode mounted, Mains ON/OFF switch, Fuse and Jewel (LED) light, The unit is operative on 230 VAC ±10% at 50Hz, Good Quality		
6.	PLANCK'S CONSTANT BY SOLAR CELL		SOLAR CELL (PHOTO VOLTAIC CELLSELENIUM TYPE). 02 Optical bench with four stands with transverse motion. 0-6V D.C. at 3A, continuously variable IC regulated and short circuit protected Power Supply with coarse and fine voltage control. Four different colour optical filters, One lamp 6V, 18W (light source) with lamp house and one lens, D.C. Microammeter, 65mm round dial, mounted on bakelite stand, to read 0-50uA. Digital panel meter 0-20 Volt D.C. Digital panel meter 0-20 Amp. D.C		
FOR SCIENCE LAB					

Scanned by CamScanner

(डॉ. अलका अग्रवाल)
प्राचार्य
[illegible] स्नातकोत्तर महिला महाविद्यालय
झुंझुनूं - [illegible]

1	Smart Board	03	• Projector: LCDTechno with SVGA resolution(800x600) Type: Long Throw Projector Contrast Ratio:13000:lightness:3200ANSI Lumens for Color and black & white output Aspect Ratio:4:3Native Ports: Ix VGA,HDMI,USB Wireless Remote Control OEM MAF & BIS Certificate required • Audio:In-Built Amplifier with minimum 30 W audio out • put Size; Up to 82"diagonal, Stereo Optical Touch Technology, Multi Touch & Finger Touch with any object supportive, Should be Driverless on any OS(Plug &Play), XPS Board with Metallic Nano Finish, Aluminum Alloy Body Finish, Anti Glare Surface &Scratch Resistance Surface, Aspect Ratio-4:3,Writing Smooth & rounded writing experience, should support Native Hand Writing Recognition in English Language, Virtual Hotkeys, Should support multi touch and multi hand writing, should allow annotations on desktop application,Should support gesture recognition like zoom, pan, tilt, flicks, etc. Should have the following interactive tools/features like Pen, Eraser, spotlight, curtain, shape recognition, shape editing, auto grouping, infinite color options for annotation, color bucket, background pattern, lines & arrows, screen capture tools (freehand captures must), import I export files. recycle bin, unlimited pages, Cut &Paste,		

Scanned by CamScanner

(डॉ. अलका अग्रवाल)
प्राचार्य
राजकीय स्नोतकोत्तर महिला महाविद्यालय
झुंझुनूं - 03

			Page navigation, save page(s), Undo/Redo, Geometric Tools like protractor, compass, ruler etc.. Shape –Recognition upto six-side figures, Extensive Resource Library with relevant educational content, software should support & compatible with document camera solution, Capability of taking Snap shot from a running video (on Windows OS Platform),"Cloud Access" in Interactive White Board Application to access filtered free educational content on any topic in the world, OEM MAF of the device & ISO Certifications required for Quality. OEM should be registered in India since 5 years Accessories:- • including all accessories like casing, conduits, HDMI Cables, Ceiling Mount Kit, Power Cable, USB Cables for mounting all the items of required for setting up of this Smart classroom equipments.		
			FOR AUDITORIUM /HALL		
1	Amplifier	1	• 6 mic • Voltage 250 V • 2 Aux inputs ports • Cut and boost type bass and treable control • Line output for connecting to booster amplifier and Preamplifier output • Built in mp3 player with remote control for USB,SD card • 5 LED array for output level monitoring • Instant transfer to DC power in case of AC power failure • Power 500 W		
2	Speakers		• Coloum Speaker		

Scanned by CamScanner

(डॉ. अलका अग्रवाल)
प्राचार्य
राजकीय स्नातकोत्तर महिला महाविद्यालय
जोधपुर - 05

			• Foam layers • Mounting clamps and hardware supplied • Speaker connection through a terminal strip at the rear. • Capacity 15 watt • Metal Cabinet		
3	Colar mic/Neck Mic		• Maximum Output Power of 12 watt • Built in mp3 digital player • 3.5 mm Mic input socket • 3.5 mm line input socket • Elegant and compact altra portable pa amplifier • Rechargable speaker with neck band microphone		
4	Wireless Microphones		• Cover Distance minimum 100 feet between receiver and microphone. • Individual channel output with level control and mix output • Display on transmitter and receiver for frequency indication • 2 Microphones can be used at the same time • Channel frequency display • Indication LED For RF and Audio Signal for channel • High quality UHF and band frequency dual wireless microphone system		
5	Cooler		• Capacity: 75 Litres; Ideal for room size of upto 550 Sq Ft. • Product dimensions (LxBxH): 61.0 cm x 40.5 cm x 120.0 cm • Effective Honeycomb Cooling Pads • Air Delivery: 46000m3/hr; Air throw upto 52Ft ; Number of Speeds: 3 ; Blower/Fan Material: Plastic ; Number of Castor Wheels: 4 ; Water Level Indicator: Required • Power: 190 Watts; Operating voltage: 230 V; Warranty: 1 year		

निविदादाता के हस्ताक्षर

पता :–.....

मोवाईल नम्बर :–.....

Scanned by CamScanner

(डॉ. अलका अग्रवाल)
प्राचार्य
राजकीय स्नोतकोतर महिला महाविद्यालय
झुंझुनूं (राज.)

राजस्थान सरकार

कार्यालय, प्राचार्य सेठ ने. म. टी राजकीय महिला महाविद्यालय झुन्झुनूं (राज.)

खुली निविदा हेतु निविदा की शर्तें

निविदा सूचना संख्या – लेखा/राममझु/निविदा/2019/ दिनांक 18.07.2019 के संदर्भ में–

1 निविदा के लिये समय सारणी निम्न प्रकार है–

निविदा विक्रय की अन्तिम दिनांक व समय	निविदा जमा करने की अन्तिम दिनांक व समय	निविदा खोलने की दिनांक व समय	सामग्री जिनकी निविदा मांगी जा रही है।
01.08.2019 दोपहर 12:00 बजे तक	02.08.2019 दोपहर 2:00 बजे तक	02.08.2019 सांय 3:00 बजे तक	विज्ञान प्रयोगशालाओं एवं ऑडिटोरियम/हॉल हेतु उपकरणों का कय मय इंस्टालेशन

2 प्रत्येक निविदा दाता को निविदा के साथ निर्धारित अमानता राशि जमा करवानी होगी।

3 प्रत्येक निविदा दाता को निविदा प्रपत्र के साथ सामग्री की निर्धारित अमानता राशि के ड्राफ्ट/बैकर चैक जो प्राचार्य, राजकीय महिला महाविद्यालय, झुन्झुनू के नाम से देय होगा, निविदा प्रपत्र के साथ संलग्न करना होगा। बिना अमानता राशि के निविदा मान्य नहीं होगी।

4 अमानता राशि यदि कम जमा करवायी जाती है तो उस निविदा पर कोई विचार नहीं किया जायेगा एवं अमानता राशि को जब्त कर लिया जायेगा।

5 प्रतिभूति राशि (सामग्री मूल्य का 5 प्रतिशत) ड्राफ्ट/बैकर चैक जो प्राचार्य, राजकीय महिला महाविद्यालय, झुन्झुनू के नाम से जमा करवानी होगी।

6 निविदा दाता द्वारा दी गई सशर्त निविदा मान्य नहीं होगी।

7 किसी भी निविदा दाता को अपनी निविदा को वापस लेने का अधिकार नहीं होगा।

8 प्राचार्य, सेनेमटी राजकीय महिला महाविद्यालय, झुन्झुनू द्वारा गठित निविदा कमेटी को किसी भी निविदा को बिना कारण बताये अस्विकृत करने का पूर्ण अधिकार होगा।

9 निविदा दाता द्वारा ठेका अन्य किसी भी ठेकेदार को हस्तान्तरित नहीं किया जा सकेगा। यदि ऐसा पाया गया तो ठेका अवैधानिक माना जा कर प्रतिभूति राशि जब्त करने की कार्यवाही की जायेगी।

10 पंजीकृत औधोगिक इकाई को प्रमाणित दस्तावेज निविदा प्रपत्र के साथ प्रस्तुत करना होगा। अन्यथा मांगने पर प्रस्तुत करना होगा, इसके बाद ही नियमानुसार प्रतिभूति छूट का लाभ देय होगा।

11 यदि किसी कार्य के लिये विशेष निविदा शर्तें उपरोक्त शर्तो के अतिरिक्त होगी तो उक्त कार्य की निविदा खोलने से पूर्व कमेटी द्वारा घोषित कर अंकित कर दी जायेगी।

12 सफल निविदा दाता (न्यूनतम दर वाला) द्वारा प्रतिभूति राशि जमा करवाने के बाद ही द्वितीय निविदा दाताओं को धरोहर राशि लौटाई जायेगी।

13 निविदा खोलने के बाद किसी प्रकार की निविदा एवं तार व पत्र मान्य नहीं होगा। तार द्वारा दी गई निविदा मान्य नहीं होगी।

Scanned by CamScanner

(डॉ. अलका अग्रवाल)
प्राचार्य
राजकीय महिला महाविद्यालय
झुन्झुनू

14 निविदा दाता को निविदा प्रपत्र में अपना सही पता अंकित करना होगा। पूर्ण पते के अभाव में यदि कोई पत्रादि/सूचना निविदा दाता के पास नहीं पहुँचती है तो इस कार्यालय की कोई जिम्मेदारी नहीं होगी।

15 प्रतिभूति राशि जमा कराने के लिये पृथक से सूचित नहीं किया जायेगा। निर्धारित समय पर राशि जमा नहीं कराने के लिये ठेकेदार स्वयं जिम्मेदार होगा।

16 निवास स्थान का पता एवं नाम जो भी निविदा पत्र में अंकित किया जायेगा उसका प्रमाण–पत्र प्रस्तुत करना होगा।

17 जीएसटी अधिनियम में पंजिकृत एवं कर चुकता प्रमाण–पत्र संलग्न करना होगा।

18 निविदा फार्म स्याही से भरा जायेगा। कच्ची पेन्सील से भरी निविदा स्वीकार नहीं की जायेगी। निविदा फार्म के प्रत्येक पृष्ठ पर निविदा दाता को हस्ताक्षर करनें होगें।

19 दरें अंको एवं शब्दों में भरी जायेगी। दरों में कॉट–छॉट स्वीकार नहीं होगी। यदि ऐसा किया जाता है तो दिनांक सहित लघु हस्ताक्षर करने होगें।

20 दरें प्राचार्य, सेनेमटी राजकीय महिला महाविद्यालय, झुन्झुनू के कार्यालय तक एफ.ओ.आर. होगी। जिसमें सभी कर शामिल होगें।

21 निविदायें उसके खोले जाने की तिथि से तीन माह तक विधि मान्य होगी।

22 सामग्री सप्लाई स्पेशिफिकेशन के अनुसार ही होगी।

23 निविदा दाता को सामान की वारंटी/गारंटी अवधि के बारे में स्पष्ट उल्लेख सप्लाई के समय करना होगा।

24 सामग्री सप्लाई आदेश के डिस्पेच की दिनांक से 15 दिन में देनी होगी।

25 यदि निविदा सूचना में दर्शित मात्रा से 50 प्रतिशत अधिक का आदेश दिया जाता है तो निविदा दाता को सप्लाई देनी होगी।

26 निविदा स्वीकृति के तुरन्त बाद नियमानुसार बकाया प्रतिभूति एवं करार निष्पादित करना होगा।

27 प्रतिभूति राशि सप्लाई पूर्ण करने एवं वारंटि/गारंटि अवधि समाप्त होने पर लौटाई जायेगी।

28 भुगतान सामग्री निर्धारित नार्मश के अनुसार पूर्ण सप्लाई करने के उपरान्त नियमानुसार बिल प्रस्तुत करने पर किया जायेगा।

29 परिनिर्धारित क्षति नियमानुसार वसूल की जायेगी।

30 जो सामग्री महाविद्यालय परिसर में स्थापित किये जाने योग्य होगी उसे अनिवार्यत निर्देशानुसार स्थापित करने पर ही भुगतान देय होगा स्थापना हेतु अलग से कोई भुगतान देय नहीं होगा।

31 अन्य शर्ते सामान्य वितिय एवं लेखा नियम के एस.आर. प्रारूप –16 के अनुसार रहेगीं।

32 किसी भी प्रकार की न्यायिक विवाद का क्षेत्र झुन्झुनू होगा।

33 मैनें/हमनें निविदा दाताओं ने निविदा सूचना संख्या लेखा/राममझु/निविदा/2019/ दिनांक 18.07.2019 के संदर्भ में विज्ञान प्रयोगशालाओं एवं ऑडिटोरियम/हॉल हेतु उपकरणों का कय की निविदा की उपरोक्त सभी शर्ते पढली है। उक्त सभी शर्ते मुझे/हमें मान्य है तथा मन्जूरी के हस्ताक्षर मैनें/हमनें अपनी राजी–खुशी, बिना किसी दबाव के पूर्ण होश हवाश में किये है तथा मुझे/हमें पूर्ण रूप से सभी शर्ते मान्य है।

निविदा दाता के हस्ताक्षर,
पताः–
मोवाईल नम्बरः–

Scanned by CamScanner

(डॉ. अलका अग्रवाल)
आचार्य
राजकीय स्नोतकोत्तर महिला महाविद्यालय
झुंझुनूं - 0SSR-11

निविदा दाता द्वारा घोषणा

[Rule-48(vii)]

1 मैं/हम घोषणा करता हूँ/करते है कि मैनें/हमनें जिस माल/सामान/सेवायें देनें के लिये निविदा दी है, उसका मैं/हम बोनाफाईड विनिर्माता/थोक विक्रेता/सोल वितरक/प्राधिकृत डीलर/डीलर/विप्पणन एजेंट/ बोनाफाईड सेवादाता हूँ/हैं।

2 मैं/हम जिस माल/सामान/सेवा के लिये निविदा दी है की आपूर्ति/सेवा का कार्य.....वर्ष से कर रहा हूँ/रहे है।

यदि उक्त घोषणा असत्य पाई जाये तो किसी भी अन्य कार्यवाही, जो कि, की जा सकती है, पर प्रतिकूल प्रभाव डाले बिना, मेरी/हमारी प्रतिभूति को पूर्ण रूप से समपहृत किया जा सकेगा तथा निविदा को, जिस सीमा तक उसे स्वीकार किया गया है, रद्द किया जा सकेगा।

निविदादाता के हस्ताक्षर

मय रबर सील

Scanned by CamScanner